

WHAT IS CLAIMED IS:

1. A non-wax glass polishing compound comprising:

- a) a water-repelling and film-forming acrylic resin;
- b) silicone fluid;
- c) finely divided abrasive;
- d) a hydrocarbon solvent;
- e) an alkanol solvent;
- f) acrylic polymer emulsifier; and
- g) water

2. The polishing compound of Claim 1 containing a preservative.

3. The polishing compound of Claim 1 containing a fragrance.

4. The polishing compound of Claim 1 wherein:

the acrylic resin comprises from about 0.6% to about 2.5% by weight of the polishing compound;

the silicone fluid comprises from about 4% to about 8% by weight of the polishing compound;

the abrasive comprises from about 1% to about 6% by weight of the polishing compounds;

the hydrocarbon solvent comprises from about 5% to about 25% by weight of the polishing compound;

the alkanol solvent comprises from about 2% to about 5% of the polishing compounds;

the acrylic polymer comprises from about 1.2% to about 2% by weight of the polishing compounds; and

the water comprises the remainder of the polishing compound.

5. The polishing compound of Claim 1 wherein:

the acrylic resin comprises from about 1.3% to about 1.8% by weight of the polishing compound;

the silicone fluid comprises from about 4% to about 6% by weight of the polishing compound;

the abrasive comprises from about 2% to about 3.5% by weight of the polishing compounds;

the hydrocarbon solvent comprises from a out 8% to about 13% by weight of a the polishing compound; \_\_\_\_\_

the alkanol solvent comprises from about 2% to about 5% of the polishing compounds;

the acrylic polymer comprises from about 1.2% to about 2% by weight of the polishing compounds; and

the water comprises the remainder of the polishing compound.

5  
Sil  
Al  
cont

008160 54259960